

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ACRY C&B LIQUIDO REGULAR
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Application of the substance / the mixture Material for dental use
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dental Manufacturing S.p.a. Via Cà Mignola Nuova, 1699

45021 - Badia Polesine (RO) - Italy

Tel. +39 0425 51628 - Fax +39 0425 590156

- · Further information obtainable from: info@ruthinium.it
- · 1.4 Emergency telephone number:

Dental Manufacturing S.p.a. - Tel. +39 0425 51628 (Office Hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

ethylene dimethacrylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapours.

(Contd. on page 2)

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 80-62-6	methyl methacrylate	80-100%	
EINECS: 201-297-1	🚸 Flam. Liq. 2, H225; 🕦 Skin Irrit. 2, H315; Skin		
Reg.nr.: 01-2119452498-28-xxxx	♠ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 97-90-5	ethylene dimethacrylate	2-5%	
EINECS: 202-617-2	♦ Skin Sens. 1, H317; STOT SE 3, H335		
Reg.nr.: 01-2119965172-38-0000			

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

Use respiratory protection

See Section 8 for information on personal protection equipment.

See Section 8 for information on personal protection equipment.

GB ·

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

See Section 8 for information on personal protection equipment.

See Section 8 for information on personal protection equipment.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

You should follow the usual precautions for handling chemical products

See Section 8 for information on personal protection equipment.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingre	· Ingredients with limit values that require monitoring at the workplace:			
CAS:	CAS: 80-62-6 methyl methacrylate (80-100%)			
WEL	WEL Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm			
· DNE	· DNELs			

CAS: 80-62-6	methyl	l methacry	late
--------------	--------	------------	------

CAS: 80-6	62-6 methyl methacrylate	
Dermal	Long term, local effect	1.5 mg/kg (general population)
		1.5 mg/kg (professional workers)
	Long term, systemic effect	13.67 mg/kg (professional workers)
	Long term, systemic effect	8.2 mg/kg bw/day (general population)
Inhalative	Long term, local effect	105 mg/m3 (general population)
		210 mg/m3 (professional workers)
	Long term, systemic effect	74.3 mg/m3 (general population)
		210 mg/m3 (professional workers)

(Contd. on page 4)

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

	(Contd. of page 3			
CAS: 97-	CAS: 97-90-5 ethylene dimethacrylate			
Dermal	Long term, systemic effect	1.3 mg/kg (professional workers)		
Inhalative	Long term, systemic effect	2.45 mg/m3 (professional workers)		
· PNECs				
CAS: 80-	-62-6 methyl methacrylate			
PNEC 5.	PNEC 5.74 mg/kg (fresh water sediments)			
PNEC 0.	PNEC 0.94 mg/l (freshwater)			
0.	0.094 mg/l (marine water)			
CAS: 97-	CAS: 97-90-5 ethylene dimethacrylate			
PNEC 0.	.139 mg/l (freshwater)			
0.	0.0139 mg/l (marine water)			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

Only use EN 374-3 certified protective gloves against chemical agents.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.2 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 2/3

• Eye protection:



Tightly sealed goggles

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 4)

9.1 Information on basic physical and o	chemical properties
General Information	
Appearance: Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-48 °C
Initial boiling point and boiling range	: 101 ℃
Flash point:	10 °C
Flammability (solid, gas):	Not applicable.
lgnition temperature:	430 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
Vapour pressure at 20 °C:	47 hPa
Density at 20 °C:	0.95 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 °C:	1.6 g/l
	Soluble.
Partition coefficient: n-octanol/water:	Not determined.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Dynamic:

Kinematic:

· 9.2 Other information

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition

Not determined.

Not determined.

No further relevant information available.

- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 5)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
CAS: 80-6	CAS: 80-62-6 methyl methacrylate				
Oral	LD50	7,872 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	33 mg/l (mouse)			
		29.8 mg/l (rat)			
CAS: 97-9	CAS: 97-90-5 ethylene dimethacrylate				
Oral	LD50	3,300 mg/kg (rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquati	· Aquatic toxicity:		
CAS: 8	CAS: 80-62-6 methyl methacrylate		
CL50	>79 mg/l (fish) (Esposizione 96 h)		
EC50	69 mg/kg (daphnia)		
EC50	>110 mg/l (algae) (Esposizione 72 h)		
	69 mg/l (daphnia) (Esposizione 48 h)		
NOEC	DEC 37 mg/l (daphnia)		
	9.4 mg/l (fish)		
CAS: 9	CAS: 97-90-5 ethylene dimethacrylate		
EC50	6.93 mg/l (algae) (OCSE 201, 72h)		
	44.9 mg/l (daphnia) (Esposizione 48 h)		
NOEC	5.05 mg/l (daphnia)		

- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential Non significant accumulation in organisms
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 6)

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- Uncleaned packaging:
- · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· Recommended cleansing agents: Water.

OFOTION		The second secon			
SECTION	14.	Iraneno	rt ini	orma	ION
SECTION		Hallspu		Office	

• 14.1 UN-Number • ADR, IMDG, IATA UN1247

14.2 UN proper shipping name

· **ADR** 1247 METHYL METHACRYLATE MONOMER,

STABILIZED solution

· **IMDG, IATA** METHYL METHACRYLATE MONOMER,

STABILIZED solution

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class 3 Flammable liquids.

· Label 3

· 14.4 Packing group

· ADR, IMDG, IATA //

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code): 339
 EMS Number: F-E,S-D

· Stowage Category B

• Stowage Code SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

(Contd. on page 8)

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

	(Contd. of page
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
· Transport category · Tunnel restriction code	D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 n
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER STABILIZED SOLUTION, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 830/2015 as subsequent amendments.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document). Procedure used for the classification of the mixture

(Contd. on page 9)

Printing date 15.10.2020 Version number 8 Revision: 15.10.2020

Trade name: ACRY C&B LIQUIDO REGULAR

(Contd. of page 8)

Flam. Liq. 2, H225 - According to experimental data

Skin Irrit. 2, H315 - Calculation method

Skin Sens 1 / 1A / 1B, H317 -Calculation method

STOT SE 3, H335 - Calculation method

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

GB