

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ACRY SELF RX POLVERE
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Material for dental use
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dental Manufacturing S.p.a. Via Cà Mignola Nuova, 1699 45021 - Badia Polesine (RO) - Italy

Tel. +39 0425 51628 - Fax +39 0425 590156

- · Further information obtainable from: info @ruthinium.it
- · 1.4 Emergency telephone number:

Dental Manufacturing S.p.a. - Tel. +39 0425 51628 (Office Hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements

P260 Do not breathe dust.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· Additional information:

EUH208 Contains dibenzoyl peroxide, methyl methacrylate. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture based on polymethyl methacrylate radiopaque

CAS: 94-36-0	dibenzoyl peroxide	0.1-<1%
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Eye Irrit. 2, H319; Skin Sens. 1B, H317, EUH208	
CAS: 80-62-6	methyl methacrylate	0.1-<1%
EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
Reg.nr.: 01-2119452498-28-	1, H317; STOT SE 3, H335	
XXXX		

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with warm water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Rinse your mouth well

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus and appropriate protective clothing including gloves and eye / face protection.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure that suitable extractors are available on processing machines

Prevent formation of dust.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

GB

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

		_	
- 1	ח	NI	

CAS: 80-62-6 methyl methacrylate

15: 80-6	2-6 metnyi metnacrylate	
rmal	Long term, local effect	1.5 mg/kg (general population)
		1.5 mg/kg (professional workers)
	Long term, systemic effect	13.67 mg/kg (professional workers)
	Long term, systemic effect	8.2 mg/kg bw/day (general population)
nalative	Long term, local effect	105 mg/m3 (general population)
		210 mg/m3 (professional workers)
	Long term, systemic effect	74.3 mg/m3 (general population)
		210 mg/m3 (professional workers)
	ermal	Long term, systemic effect Long term, systemic effect nalative Long term, local effect Long term, systemic effect

· PNECs

CAS: 80-62-6 methyl methacrylate

PNEC 5.74 mg/kg (fresh water sediments)

PNEC 0.94 mg/l (freshwater) 0.094 mg/l (marine water)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The use of gloves is recommended as a preventive measure



Protective gloves

· Material of gloves

Butyl rubber, BR

Neoprene gloves

Recommended thickness of the material: ≥ 0.2 mm

· Penetration time of glove material

Breakthrough time:> = 480 min - Material thickness:> = 0.7 mm Breakthrough time:> = 60 min - Material thickness:> = 0.5 mm

Breakthrough time:> = 30 min - Material thickness:> = 0.2 mm

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical stateColour:SolidPink

Odour: CharacteristicOdour threshold: Not determined.

(Contd. on page 4)

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 3)

• Melting point/freezing point: > 105 °C

· Boiling point or initial boiling point and

boiling range Undetermined.

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.
· Flash point: > 250 °C

· Auto-ignition temperature: Product is not selfigniting.

· **pH** Not applicable.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

· water: Insoluble.

· Partition coefficient n-octanol/water (log

value) Not determined.Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density at 20 °C
 Vapour density

1.1 - 1.18 g/cm³
0.55 - 0.75
Not determined.

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· Organic solvents: 0.0 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability The product is stable under normal conditions of use and storage

(Contd. on page 5)

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 4)

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Avoid dust formation

Avoid heat, flames and other sources of ignition

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

When heated or in case of fire can release gases and vapors which are dangerous to health.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:	
CAS: 80-6	62-6 methy	yl methacrylate
Oral	LD50	7,872 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	33 mg/l (mouse)
		29.8 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS	20-62-6	mothyl	methacrylate
CAS.	OU-UZ-U	IIIŒIIIVI	IIIEIIIACI VIAIE

CL50 >79 mg/l (fish) (Esposizione 96 h)

EC50 69 mg/kg (daphnia)

EC50 >110 mg/l (algae) (Esposizione 72 h)

69 mg/l (daphnia) (Esposizione 48 h)

NOEC 37 mg/l (daphnia)

9.4 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 6)

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 5)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- · Uncleaned packaging:
- · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

(Contd. on page 7)

Printing date 04.03.2021 Version number 9 Revision: 04.03.2021

Trade name: ACRY SELF RX POLVERE

(Contd. of page 6)

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Relevant phrases

Highly flammable liquid and vapour. H225

H241 Heating may cause a fire or explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains . May produce an allergic reaction.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2

Self-react. B: Self-reactive substances and mixtures - Type B

Org. Perox. B: Organic peroxides - Type B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.